





1. LEAD Co-planarity :Max 0.10mm;
2. No rust, contamination, damage nor deformation effecting on function
- ③ Switch moving area
- ④ Non-cumulative tolerance
5. Circuit Drawing of switch



7	SLIDER	1	LCP UL94V-0
6	LINK	1	STAINLESS STEEL
5	SPRING	1	SWP-B
4	CAM Plate(inside)	1	STAINLESS STEEL
3	CONTACT	1	COPPER ALLOY Nickel Barrier Contact: Au 1u" Min over Ni 40~200u" Lead : Au flash 1u" Min over Ni 40~200u"
2	COVER	1	STAINLESS STEEL Not hold down : Nickel 10~200u" Hold down : Au flash 1u" Min over Ni 10~200u"
1	HOUSING	1	LCP UL94V-0
NO.	DESCRIPTION	Q'TY	Material


 东莞市讯普电子科技有限公司
DongGuan XunPu Electronics Co.,Ltd



PAR	SMC-214-ARP7	
DWN		
CHKD		
APVD		
SCALE:1:1	UNIT:MM	
SIZE:A4	SHEET:1F1	REV:A



CUSTOMER COPY

SIZE:A4	SHEET:1F1	REV:A
---------	-----------	-------



SIM Card Pin Assignments


PIN	Name
C1	Vcc
C2	RST
C3	CLK
C4	Reserved
C5	GND
C6	Vpp
C7	I/O
C8	Reserved



Connector Pin Assignments


No.	Pin name	Description
①	C1	Vcc of SIM
②	C2	RST of SIM
③	C3	CLK of SIM
④	C5	GND of SIM
⑤	C6	Vpp of SIM
⑥	C7	I/O of SIM
⑦	SW	Detection Switch
⑧~⑰	GND	Shell Ground

MANUFACTURE DWG		 东莞市讯普电子科技有限公司 DongGuan XunPu Electronics Co.,Ltd		
UNLESS OTHERWISE SPECIFIED TOLERANCES			TITLE:1.27mm Push Micro Sim CARD CONN CUSTOMER DRAWING .	
DECIMALS:	ANGLES:		PAR	SMC-214-ARP7
X.X:±0.30	X'.:±2°		DWN	
X.XX:±0.20	X.X':±1°		CHKD	
X.XXX:±0.10		APVD		
CUSTOMER COPY		SCALE1:1	UNIT:MM	
		SIZE:A4	SHEET:1F1	
			REV:A	



NOTES


1. NUMBER OF CONNECTORS: 1000PCS/REEL
2. LEAD TAPE LENGTH



3. QUANTITY: 7000PCS/CARTON

4. WEIGHT:

THE NET WEIGHT OF PER PART IS 0.38g.



MANUFACTURE DWG		 东莞市讯普电子科技有限公司 DongGuan XunPu Electronics Co., Ltd		
UNLESS OTHERWISE SPECIFIED TOLERANCES				
DECIMALS:	ANGLES:			
X.X:±0.30	X°.±2°			
X.XX:±0.20	X.X':±1°			
X.XXX:±0.10				
CUSTOMER COPY		TITLE: 1.27mm Push Micro Sim CARD CONN CUSTOMER DRAWING .		
		PAR	SMC-214-ARP7	
		DWN		
		CHKD		
		APVD		
		SCALE: 1:1	UNIT: MM	
		SIZE: A4	SHEET: 1F1	REV: A